

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S3	65	handoff and ("455"/\$7 or "370"/\$7).ccls. and gateway and roam\$3 with (between or plurality or another) adj4 networks	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 11:01
S4	41	S3 and (@AD < "20020116" or @RLAD < "20020116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 11:00
S7	79	handoff and ("455"/\$7 or "370"/\$7 or "709"/\$3).ccls. and gateway and roam\$3 with (between or plurality or another) adj4 networks	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 10:56
S8	2	negotiat\$3 with extended near5 session and ("455"/\$7 or "370"/\$7 or "709"/\$3).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 10:58
S10	117	handoff and ("455"/\$7 or "370"/\$7 or "709"/\$3).ccls. and gateway and roam\$3 with (between or plurality or another or different) adj4 (subnet or networks)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 11:08
S11	62	S10 and (@AD < "20020116" or @RLAD < "20020116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 10:59
S12	2	negotiat\$3 with extended near5 session and ("455"/\$7 or "370"/\$7 or "709"/\$3).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 11:10
S13	0	S12 and (@AD < "20020116" or @RLAD < "20020116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 11:09
S14	2	S11 and negotiat\$3 near5 session	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 11:09

S15	0	S11 and unicast adj access adj terminal adj identifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 11:10
S16	489	handoff and ("455"/\$7 or "370"/\$7 or "709"/\$3).ccls. and (mov\$3 or roam\$3 or cross\$3 or across\$3) with (between or plurality or another or different or adjacent or next) adj4 (subnet or networks)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 11:09
S17	1944	handoff and ("455"/\$7 or "370"/\$7 or "709"/\$3).ccls. and (mov\$3 or roam\$3 or cross\$3 or across\$3) near10 (subnet or networks)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 11:09
S18	1305	(S16 or S17) and (@AD < "20020116" or @RLAD < "20020116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 11:09
S19	18	S18 and negotiat\$3 near5 session	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 15:46
S20	0	negotiat\$3 with extended near5 session and S18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 11:10
S21	3	S18 and unicast adj access adj terminal adj identifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 11:45
S22	25	S18 and gateway near10 access adj network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 11:30
S23	1	S19 and S21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 11:12
S24	0	S22 and S21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 11:12

S25	1	S22 and S19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 11:12
S26	183	S18 and (manag\$3 or gateway) with handoff	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 15:45
S27	1	S18 and (manag\$3 or gateway) with dormant adj handoff	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 11:31
S28	2	S19 and S26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 11:44
S29	1	S26 and unicast adj access adj terminal adj identifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 15:47
S30	6	S18 and (manag\$3 or gateway) with handoff with access adj network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 11:50
S31	11	(("20050066040") or ("20020068570") or ("6910074") or ("20020069278") or ("20020193110") or ("20010036834") or ("20010026541") or ("20010023185") or ("20020191576") or ("20030186694") or ("20020031107"))).PN.	US-PGPUB; USPAT	OR	OFF	2005/11/15 11:59
S32	331	S18 and (manag\$3 or gateway or controller or agent or proxy) with handoff	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 15:46
S33	211	S18 and (establish\$3 or negotiat\$3) near5 session	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 15:47

S34	63	S32 and S33	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 15:47
S35	1	S34 and unicast adj access adj terminal adj identifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 15:47
S36	459	handoff and ("455"/\$7 or "370"/\$7).cccls. and mobility near3 management and (@AD <"20020116" or @RLAD <"20020116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 12:09
S37	481	handoff and ("455"/\$7 or "370"/\$7 or "709"/\$3).cccls. and mobility near3 management and (@AD <"20020116" or @RLAD <"20020116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 11:01
S38	12	S37 and dormant near3 handoff	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 11:02
S39	4	S38 and UATI	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 11:04
S40	4	S38 and (UATI or unicast adj access adj terminal adj (identifier or identification or ID))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 12:10
S41	19	handoff and ("455"/\$7 or "370"/\$7).cccls. and dormant adj handoff and (@AD <"20020116" or @RLAD <"20020116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 12:13
S42	4	S41 and (UATI or unicast adj access adj terminal adj (identifier or identification or ID))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 12:11
S43	0	S42 not S40	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 12:10

S44	8	S41 and (identifier or identification or ID) near5 unique	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 12:16
S45	8	S41 and session adj3 (information or data or constants or parameters)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 12:12
S46	4	S41 and session adj3 (information or data or constants or parameters) near10 (includ\$3 or contain\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 12:12